



ACER Consultation Template

Fields marked with * are mandatory.

Introduction

The Agency for the Cooperation of Energy Regulators ('the Agency') has developed an online template following Article 26(5) of the Commission Regulation (EU) 2017/460 of 16 March 2017 establishing a Network Code on Harmonised Transmission Tariff Structures for Gas ('TAR NC'). The online template has been designed for the NRA/TSO responsible for carrying out the consultation on the reference price methodology to provide a summary of the consultation.

The online template and the tool for the submission of files to the Agency is implemented over a secure IT connection based on https.

Instructions for using the online template and for the submission of the consultation documents are on the appendix, at the end of the online template. For additional information on the online template, visit: [http://www.acer.europa.eu/Official_documents/Public_consultations/Pages/ACER-Consultation-Template.-Tariff-NC-Article-26\(5\).aspx](http://www.acer.europa.eu/Official_documents/Public_consultations/Pages/ACER-Consultation-Template.-Tariff-NC-Article-26(5).aspx)

General information on the consultation on the RPM

* Member state

Portugal

Organisation responsible for the consultation on the RPM.

NRA: Entidade Reguladora dos Serviços Energéticos (ERSE)

Contact point in the NRA/TSO responsible for the consultation.

Daniel Horta (dhorta@erse.pt)

Timeline for the final consultation: launch and closing dates.

From 17-08-2018 to 17-10-2018

Will there be any intermediate consultations prior to the final consultation? If so, what topics will they cover? The last section of the survey allows the NRA/TSO providing information on this part of the process.

No. However, a preliminary application of the capacity weighted distance methodology to the transmission tariffs was presented in the documentation attached to the proposal for the tariff period 2017-2018.

Are any intermediate consultations planned/expected prior to the final consultation on the RPM?

- Yes
 To be decided
 No

A. Proposed reference price methodology [Article 26 (1)(a)]

A.1. Information on the parameters used in the proposed RPM related to technical characteristics of the transmission system [Articles 26(1)(a)(i), 30. (1)(a)].

Provide the information on the parameters listed in Article 30(1)(a)(i-v) when they are an input to the proposed RPM . For parameters that are not an input to the RPM, mark as 'Not applicable'.

The description of the RPM and the justification of the parameters may refer to information requested in other points of Article 26 and in other articles, such as Article 7.

A.1.A. Description of the proposed reference price methodology [Article 26(1)(a)].

The following description is intended to provide an overview of the RPM. Include a reference to, at least, the following elements. Only refer to these items if they are applicable to the RPM:

- Choice of RPM
- Cost drivers of the RPM
- Locational signals in E/E points resulting of the RPM (e.g.: capacity, distance). Locational signals are price levels that send incentives to network users in order for the network operators to achieve an efficient operation and/or expansion of the gas system.
- Entry/exit split. Cost reflectivity and application to the RPM.
- Capacity/commodity split. Cost reflectivity and application to the RPM.

- Intra-system/cross-system split. Cost reflectivity and application to the RPM.
- Adjustments (benchmarking, equalisation and rescaling).
- Use of inter-TSO compensation mechanism. Brief note on the application of the RPM in multi-TSO E/E system and reference to the inter-TSO compensation mechanism consultation.

Indicate the choice of RPM (e.g.: postage stamp, capacity weighted distance, virtual point, matrix, or other)

Modified capacity weighted distance methodology (modified CWD)

Provide description.

The methodology represents a modification of the CWD methodology defined in article 8. The main difference consists in introducing unitary costs as an additional cost driver (beyond forecasted capacities and distances). The unitary costs, measured in [€ / [(kWh/day) · km], distinguish two situations: (1) regular use of the transmission network, where a standardized unitary cost is applied, and (2) use of the transmission network that are not expected to contribute to incremental costs to the network, where a zero unitary cost is applied. The latter situation is justified by gas backhaul at some of the exit points of the transmission network (existence of commercial capacity booking in opposite direction to the flow of the gas).

If the methodology had applied the same standardized unitary cost to all pipelines connecting entry and exit points, it would have resulted in the same reference prices as the capacity weighted distance methodology from article 8.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.2.

A.1.B. Justification of the parameters and how they are used in the RPM [Articles 26(1)(a)(i), 30(1)(a)(i-v)].

Justify the selection and use of the parameters listed in Article 30(1)(a)(i-v) that are and input to the RPM, in view of the level of complexity of the transmission network related to the technical characteristics of the transmission system.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.2.

A.1.C. Technical capacity at entry and exit points: values and associated assumptions [Articles 26(1)(a)(i), 30(1)(a)(i)].

Is the parameter an input to the RPM?

- Yes
- No

A.1.D. Forecasted contracted capacity at entry and exit points: values and associated assumptions [Articles 26(1)(a)(i), 30(1)(a)(ii)].

Is the parameter an input to the RPM?

- Yes
- No

Values of the forecasted contracted capacity at entry and exit points. Reference to consultation document(s). Provide document ID and relevant page(s).

Attachment to the consultation document (section 2.1 of the attachment).

Associated assumptions for the values of the forecasted contracted capacity at entry and exit points. Reference to consultation document(s). Provide document ID and relevant page(s).

Forecasted contracted capacity for a 1-year horizon was estimated based on the maximum observed daily values during 2016 and 2017.

A.1.E. The quantity and the direction of the gas flow for entry and exit points: values and associated assumptions [Articles 26(1)(a)(i), 30(1)(a)(iii)].

Is the parameter an input to the RPM?

- Yes
- No

Values for the quantity and the direction of gas flows at entry and exit points. Reference to consultation document(s). Provide document ID and relevant page(s).

The direction of the gas flow is an input to the methodology in the sense that exit points to the virtual interconnection point (VIP), to the LNG terminal and to the underground storage are served against the flow of the gas. This justifies the use of a zero unitary cost for gas routes ending at these exit points. Apart from this reasoning the quantity and direction of gas flows are not an input to the methodology. See justification (with figures) at the end of section 3.3 in the consultation document.

Associated assumptions for the values of the quantity and the direction of gas flows at entry and exit points. Reference to consultation document(s). Provide document ID and relevant page(s).

See previous answer.

A.1.F. Structural representation of the transmission network with an appropriate level of detail and associated assumptions [Articles 26(1)(a)(i), 30(1)(a)(iv)].

The representation should include an image of a simplified network depicting the transmission network and distinguishing the elements defined in Article 2(1)(1) of the Regulation (EC) No. 715 /2009:

- High-pressure pipelines (other than the upstream pipeline network and other than high-pressure pipelines primarily used in the context of local distribution of natural gas, with a view to its delivery).
- Transmission networks which are dedicated to supplying domestic customers.
- TSO-DSO interface (transmission exit points to DSO).

The representation should include the transmission network elements included in the regulatory asset base.

Reference to consultation document(s). Provide document ID and relevant page(s).

Main consultation document (section 3.1).

Associated assumptions and criteria used for the structural representations (e.g.: clustering, average distances, etc).

Provide reference to consultation document(s):

Exit points to domestic consumption have been grouped into 7 exit zones (i.e. 7 clusters of exit points). Together with the four entry points that also represent exit points of the transmission grid, this leads to a total of 11 exit points.

The distances to the 7 exit zones were determined taking as reference the main exit point of each cluster of exit points.

A.1.G. Additional technical information and associated assumptions about the transmission network such as the length of pipelines, the diameter of pipelines and the power of compressor stations [Articles 26(1)(a)(i), 30(1)(a)(v)].

Are there other parameter used as input to the RPM related to technical characteristics of the transmission system? Provide pipeline pressure levels if available.

- Yes
 No

List additional parameters.

Length of pipelines included in the simplified representation of the transmission network.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.1.

Provide assumptions used, if any. Provide document ID and relevant page(s).

Assumptions related to the distances towards clusters of exit points (see justification to the previous point of this summary A.1.F).

A.2. The value of the proposed adjustments for capacity-based transmission tariffs pursuant to Article 9 [Article 26(1)(a)(ii)]

A.2.A. Proposed discount(s) at entry points from and exit points to storage facilities [Articles 26(1)(a)(ii), 9(1)].

Do you apply the discount(s) at entry points from and/or exit points to storage facilities?

- Yes
 No

Indicate discount (%) at entry points from storage facilities compared to the initial result of the RPM.

95

Indicate discount (%) at exit points to storage facilities compared to the initial result of the RPM.

95

Other file or reference (e.g. different discounts for different products at the same storage facilities).

Not applicable.

Are there storage facilities connected to more than one transmission or distribution network system.

- Yes
 No

A.2.B. Proposed discount(s) at entry points from LNG facilities [Articles 26(1)(a)(ii), 9(2)].

Do you apply the discount(s) at entry points from LNG facilities?

- Yes
 No

A.2.C. Proposed discount(s) at entry points from and exit points to infrastructure developed with the purpose of ending the isolation of Member States [Articles 26(1)(a)(ii), 9(2)].

Do you apply discount(s) at entry points from and exit points to infrastructure developed with the purpose of ending the isolation of Member States?

- Yes
 No

A.3. Indicative reference prices subject to consultation [Article 26(1)(a)(iii)]

A.3.A. Indicative reference prices at each entry and at each exit point [Article 26(1)(a)(iii)].

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.3.

A.4. Cost allocation assessment [Articles 26(1)(a)(iv), 5]

According to Article 27(2)(b) the Agency shall assess the compliance of Article 7. Given that Article 7 (c) refers to the cost allocation assessment, the Agency's analysis of compliance applies to the cost allocation assessment. For this purpose, the Agency request the NRA/TSO responsible for the consultation to submit a justification of the cost allocation assessment together with the rest of the consultation documentation once the consultation is launched. This only applies for the case when the cost allocation ratio exceeds 10%. This justification is requested by the Agency independently of its inclusion in the NRA motivated decision described in Article 27(4). For the submission of documents relevant to this section, see the upload section at the end of this template.

A.4.A. Results of the capacity cost allocation assessment [Articles 26(1)(a)(iv), 5].

Capacity cost allocation comparison index (%)

0

A.4.B. Components of the capacity cost allocation assessment [Articles 26(1)(a)(iv), 5].

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.4 and chapter 9.

A.4.C. Details of components of the capacity cost allocation assessment [Articles 26(1)(a)(iv), 5].

Description of the calculation, including:

- Details of the cost drivers following Article 5(1)(a).
- Rationale for the combination of capacity cost drivers.
- Where the result of the capacity cost comparison index exceeds 10%, provide the justification for such results.

Reference to consultation document(s). Provide document ID and relevant page(s).

Computations presented in the Excel file and in chapter 9 of the consultation document.

A.4.A. Results of the commodity cost allocation assessment [Articles 26(1)(a)(iv), 5].

Commodity cost allocation comparison index (%).

0

A.4.B. Components of the commodity cost allocation assessment [Articles 26(1)(a)(iv), 5].

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.4 and chapter 9.

A.4.C. Details of components of the commodity cost allocation assessment [Articles 26(1)(a)(iv), 5].

Description of the calculation, including:

- Details of the cost drivers following Article 5(1)(a).
- Rationale for the combination of commodity cost drivers.
- Where the result of the commodity cost comparison index exceeds 10%, provide the justification for such results.

Reference to consultation document(s). Provide document ID and relevant page(s).

Computations presented in the Excel file and in chapter 9 of the consultation document.

A.5. Assessment of the proposed reference price methodology in accordance to Article 7 and Article 13 of the Regulation (EC) No. 715/2009 [Article 26(1)(a)(v)]

The Agency will evaluate the compliance of the RPM against the set of principles laid out in Article 7 [Article 27(2)(b)(1)]. For the purpose of making explicit the criteria that will be used for this analysis, the template provides the following non-exhaustive list of suggestions to follow in the assessment. Quantitative analysis and stakeholder support will be taken by the Agency as evidence. When such proofs are not available, compliance will be reviewed based on the explanations provided.

A.5.A. The RPM should: enable network users to reproduce the calculation of reference prices and their accurate forecast.

The description of the RPM, together with the rest of elements listed in this template should be instrumental to allow replicating the calculation of reference prices. Provide the manner and the order in which these elements are used for the calculation of the RPM.

Reference to consultation document(s). Provide document ID and relevant page(s).

```
Summary of RPM: consultation document (section 3.2).  
Details on the RPM: attachment to the consultation document (section 2.1).  
Numerical example: Excel file attached to the consultation document.
```

A.5.B. The RPM shall into account the actual costs incurred for the provision of transmission services considering the level of complexity of the transmission network.

Evaluate the cost reflectivity of the RPM related to the level of complexity and the technical characteristics of the transmission network. The assessment can be based on elements such as:

- How do the level of complexity and the technical characteristics of the transmission network influence the choice of RPM?
- Is the use or non-use of locational signals related to the level of complexity and the technical characteristics of the transmission network?
- How does the choice of E/E split affect the cost reflectivity of reference prices?
- How do reference prices at E/E points relate to the underlying costs of the network?
- Indicate any other elements of the RPM relevant to assess the cost reflectivity of the RPM

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.5.

A.5.C. The RPM shall ensure non-discrimination and shall prevent undue cross-subsidisation including by taking into account the cost allocation assessments set out in Article 5.

Evidence for the assessment should take into account the cost allocation assessment, which checks the non-discrimination between two predefined groups of network users. Other means can be used to check non-discrimination between other groups of network users. Provide reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.5.

A.5.D. The RPM shall ensure that significant volume risk related particularly to transports across an entry-exit system is not assigned to final customers within that entry-exit system.

Explain how the variation in transit flows affects reference prices for final consumers. The assessment can be based on elements such as:

- The contribution of the E/E split to the risk bared by final consumers.
- Are there any ex-ante splits of revenues for the purpose of intra-system and cross-system users?

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.5.

A.5.E. The RPM shall ensure that the resulting reference prices do not distort cross-border trade.

Refer at least to the effect of the E/E split on cross-border trade. Provide reference to consultation document (s). Provide document ID and relevant page(s).

Consultation document: section 3.5.

A.6. Comparison with the CWD methodology [Article 8] accompanied by the indicative reference prices subject to consultation set out in Article 26 (1)(a)(iii)

A.6.A. Where the proposed reference price methodology is other than the capacity weighted distance reference price methodology detailed in Article 8, a comparison between both methodologies should be performed [Articles 26(1)(a)(vi), 8].

The comparison should be performed with an appropriate level of detail and should enable stakeholders to identify the main differences, advantages and disadvantages of the compared methodologies. The following non-exhaustive list provides relevant elements that can guide the comparison:

- Differences, if any, in the input parameters for each of the methodologies such as input parameters (e.g.: technical and forecasted capacity), ratios for the allowed or target revenue listed in Article 30(1)(b)(v) and discounts to storage and LNG.
- Differences in the manner in which each of the methodologies reflect the level of complexity and the technical characteristics of the transmission network.
- Relation of each of the methodologies to the principles laid out in Article 7.
- Cost allocation assessment in Article 5.

Provide the same parameters and assumptions used for the CWD as for the proposed RPM, highlighting the differences, if any. When the parameters used for each of the methodologies are different, indicate and follow through the differences in reference prices.

Reference to consultation document(s). Provide document ID and relevant page(s).

The modified CWD and the CWD methodologies are compared briefly in the consultation document (section 3.2) and explained with more detail in the attachment (section 2.1 for the modified CWD and section 2.2 for the CWD).

A.6.B. Comparison of indicative reference prices at each entry point and at each exit point of the proposed RPM and the CWD detailed in Article 8.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 3.6.

B. Allowed or Target Revenue of the TSO [Article 26(1)(b)]

B.7. Indicative information set out in Article 30(1)(b)(i), (iv) and (v)

B.7.A. Allowed or target revenue, or both, of the transmission system operator [Articles 26(1)(b), 30(1)(b)(i)].

- If allowed and target revenue are both used, provide detail for each case.
- In the case of multiple TSOs, indicate the approach adopted. In the case where the NRA is carrying out the consultation, provide the reference where the information on allowed or target revenue for each TSO can be found.
- Units: currency/year

Description.

The concept of allowed revenue is used.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 4.1.

B.7.B. Transmission services revenue [Articles 26(1)(b), 30(1)(b)(iv)].

Description (Units: currency/year)

92.840.000 € per year

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 4.1.

B.7.C. Capacity-commodity split of the transmission services revenue.

Breakdown between the revenue from capacity-based transmission tariffs and the revenue from commodity-based transmission tariff [Articles 26(1)(b), 30(1)(b)(v)(1)].

Revenue from recovered from capacity-based transmission tariffs, %:

99

Revenue from recovered from commodity-based transmission tariffs, %:

1

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 4.1.

B.7.D. Entry-exit split of the transmission services revenue.

Breakdown between the revenue from capacity-based transmission tariffs at all entry points and the revenue from capacity-based transmission tariffs at all exit points [Articles 26(1)(b), 30(1)(b)(v)(2)].

Revenue from capacity-based transmission tariffs at all entry points, %:

40

Revenue from capacity-based transmission tariffs at all exit points, %:

60

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 4.1 and explanation at the end of section 3.2.

B.7.E. Intra-system/cross-border split of the transmission services revenue.

Breakdown between the revenue from domestic network users at both entry points and exit points and the revenue from cross-border network users at both entry points and exit points calculated as set out in Article 5, [Articles 26(1)(b), 30(1)(b)(v)(3)]

Revenue from domestic network users at entry points and exit points, %:

100

Revenue from cross-border network users at entry points and exit points, %:

0

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 4.1.

C. Information on commodity based and non-transmission tariffs [Article 26(1)(c)]

Following Article 27(2), the Agency shall analyse the compliance of the criteria used for setting commodity-based tariffs as set out in Article 4(3), and of the criteria used for setting non-transmission tariffs as set out in Article 4(4). The analysis of compliance will be based on the terms listed in this section.

C.8. Flow based charge. Information on commodity-based transmission tariffs referred to in Article 4(3) [Article 26(1)(c)(i)]

Do you apply a flow based charge?

- Yes
 No

C.8.A. The manner in which they are set [Articles 26(1)(c)(i)(1), 4(3)(a)].

Provide the following information:

- Description, rationale and extent to which the flow based charge is used.
- Formula with cost drivers for monetary terms / in kind.
- Reference used for the calculation (historical flows, forecasted flows or both).
- Confirm that the flow based charge is set in such a way that it is the same at all entry points and the same at all exit points.

Description:

Flow based charges are determined from the ratio between operational expenditures in relation to peak consumption (real figures from 2016), although still subject to a multiplicative scaling factor such that revenue reconciliation is achieved while guaranteeing that the entry-exit split is achieved for the total amount of allowed revenues (i.e. when considering both capacity based and energy based charges).

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 5.1.

C.8.B. The share of the allowed or target revenue forecasted to be recovered from such tariffs [Articles 26(1)(c)(i)(2), 4(3)(a)].

Share of transmission service revenue (allowed or target revenue) to be recovered by flow based charges (%)

1

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: table in section 4.1.

C.8.C. The indicative flow-based charge [Articles 26(1)(c)(i)(3), 4(3)(a)].

Description:

The indicative flow-based charge is 0,000017 €/kWh (before applying revenue reconciliation through multiplicative scaling). After adjustment the values obtained can be found in section 6.1.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 6.1.

C.9. Complementary revenue recovery charge: Information on commodity-based transmission tariffs referred to in Article 4(3) [Article 26(1)(c)(i)]

Do you use a complementary revenue recovery charge?

- Yes
 No

Comments, if relevant.

C.10. Information on non-transmission services provided to network users [Article 26(1)(c)(ii)]

Are there non-transmission services provided to network users on the bases of a non-transmission service tariff methodology?

- Yes
 No

Comments, if relevant.

Not applicable.

D. Compared tariffs and tariff model [Article 26(1)(d)]

D.11. The indicative information set out in Article 30(2)

The comparison should be based on indicative reference prices. Whenever the data necessary for this comparison is not available at the time of the consultation on the RPM (e.g.: multipliers and seasonality), provide the date and the source where the information will be available.

D.11.A. Comparison between transmission tariffs applicable for:

- the prevailing tariff period, and for
- the tariff period for which the information is published.

Explain the difference between the level of transmission tariffs [Articles 26(1)(d), 30(2)(a) (i)].

Comparison with the past tariff period. The comparison should be based on transmission tariffs.

Reference to consultation document(s). Provide document ID and relevant page(s).

Consultation document: section 6.1.

Link to information on TSO/NRA website.

www.erse.pt/pt/consultaspublicas/consultas/Paginas/66.aspx

D.11.B. Comparison between transmission tariffs applicable for:

- the tariff period for which the information is published, and for
- each tariff period within the remainder of the regulatory period.

Provide estimated difference in the level of transmission tariffs [Articles 26(1)(d), 30(2)(a) (ii)].

Comparison with upcoming tariff periods. The comparison should be based on transmission tariffs.

Reference to consultation document(s). Provide document ID and relevant page(s).

Tariff period 2018–2019 corresponds to the last year of the current regulatory period. No further comparisons have been prepared.

Link to information on TSO/NRA website.

Not defined.

D.11.C. At least a simplified tariff model, updated regularly, enabling network users to calculate the transmission tariffs applicable for the prevailing tariff period and to estimate their possible evolution beyond such tariff period [Articles 26(1)(d), 30(2)(b)].

Tariff model for prevailing tariffs and future tariff periods. The simplified tariff model should serve for the calculation of tariffs. If the information on multipliers and seasonality is not available at the time of the publication of the consultation on the RPM, it should be indicated. By the time this information is published, the simplified tariff model should be updated to include information on tariffs.

Reference to consultation document(s). Provide document ID and relevant page(s).

Excel file 'TransmissionTariffs.xlsx' attached to the consultation.

Link to information on TSO/NRA website.

www.erse.pt/pt/consultaspublicas/consultas/Paginas/66.aspx

D.11.D. Explanation of how to use the simplified tariff model [Articles 26(1)(d) and 30(2)(b)].

Reference to consultation document(s). Provide document ID and relevant page(s).

Explanation is included in the Excel file.

E. Fixed payable price under price cap regime [Article 26(1)(e)]

E.12. Where the fixed payable price referred to in Article 24(b) is offered under a price cap regime for existing capacity

Is the fixed payable price referred to in Article 24(b) offered under a price cap regime for existing capacity.

- Yes
 No

Documentation submission to the Agency

The online template and the tool for the submission of files to the Agency is implemented over a secure IT connection based on https.

Final consultation on the RPM

The Agency requests the NRA/TSO responsible for launching the final consultation on the RPM to follow the below requirements when submitting the consultation documentation to the Agency:

- **All files containing numerical data** must be provided to the Agency in non-protected Excel or Excel compatible files independently of how they are published in the consultation.
- **Files containing text** must be provided to the Agency in Word, Word compatible files, or PDF.
- **Files containing images** must be provided to the Agency in a commonly used image formats or PDF.

- **All data must be provided in non-protected files** that allow editing. If PDFs are used, they must not be protected against editing (e.g.: they must allow copying the text of the PDF)
- **Confidential information must be clearly marked as confidential. In the cases where the consultation includes confidential information, a non-confidential version of the consultation must also be provided as part of the documentation.** Such version can be prepared erasing or aggregating the sensible information to render the data non-confidential.

Upload consultation documentation

Provide a description of the uploaded documents and how they relate to the consultation (e.g.: main documents, supporting files, etc)

The consultation includes the main document, an attachment that describes three methodologies in more detail and two Excel files that apply the three methodologies. The uploaded documents are in Portuguese. We expect to translate these documents into English as soon as possible and to make them available on the same webpage.
As some files exceed the maximum allowed size, all documents will be send by e-mail to ACER (Kirsten Bouwens and Miguel Martinez).

Information on confidentiality. If any of the submitted files are subject to confidentiality rules, please identify these files and provide additional non confidential versions.

None of the files is subject to confidentiality rules.

Cost allocation assessment justification

Does the capacity and/or the commodity cost allocation comparison index, as per Articles(3)(c) and Article(4)(c), exceed 10%?

- Yes
 No

Additional supporting documents

For the purpose of making the implementation of the TAR NC more efficient, the Agency provides below two sections to facilitate information on intermediate consultations and on the publication of stakeholder responses relative to the final consultation on the RPM. The Agency advocates that NRAs /TSOs provide links to this data and/or the documentation itself by the time it is available. The survey can be accessed after the submission of the final consultation for the purpose of providing this data.

Final consultation on th RPM: responses and summary

Upload consultation documentation

Link to the consultation documents.

Not yet available.

Intermediate consultation(s) on th RPM

Upload intermediate consultation documentation.

Link to the consultation documents.

Not applicable.

Appendix: Instructions for using the survey

The online template and the tool for the submission of files to the Agency is implemented over a secure IT connection which will be operational as of end of September 2017.

Reading the survey

The online template lists all legal requirements for the consultation on the RPM according to Article 26. In addition, it provides interpretation and guidelines to several requirements of Article 26. These two levels of text can be distinguished based on the colour of the typography used:

- **Blue typography** replicates the text of the Tariff NC and provides references to articles of the Tariff NC.
- **Black typography** provides descriptions and clarifications to the text of the TAR NC.

The additional clarifications and guidelines provide the reasoning and arguments that ACER will employ when reviewing the consultations, following the requirement set in Article 27(2).

The online template is structured into five different sections following the structure of Article 26. At the end of the survey, a section for uploading the consultation document(s) is provided.

The online template mirrors all requirements laid out in the template checklist which is available at:

Timeline for completing the survey

The online template can be filled as of its date of publication (5 July 2017). It can be saved as a draft and can be subsequently updated following the steps of the national process until the final submission. The Agency advocates that the NRA/TSO responsible for the consultation provides the requested information relative to the consultation on the RPM using the online template. This includes:

- **Prior to the consultation**, the NRA/TSO should provide details relative to the contact point, the estimated timeline for the consultation, and the planning of intermediate consultations, if any.
- **After the publication of the final consultation**, the NRA/TSO should submit details relative to the publication of the stakeholder responses [Article 26(3)] and the NRA motivated decision [Article 27(4)].

NRA/TSO input on the survey

When filling out the survey, the NRA/TSO responsible for the consultation on the RPM, should provide the following information:

- **Descriptions and justifications** based the requirements listed on Article 26.
- **References to the consultation document(s)** where the requested information can be found. References should include the name of the document and the page(s) being referred.
- **Relevant information on the consultation process.**

Whenever the format of the survey incurs in any incompatibility with the structure of the consultation, the NRS/TSO should contact ACER.

Submission of the consultation document(s) to the Agency

This platform allows NRAs/TSOs submitting the consultation document(s) to the Agency. The submission of these documents is an obligation laid out under Article 27(1) and it is independent of the use that NRAs/TSOs make of the template. For this purpose, the NRA/TSO carrying out the consultation can use this file submission tool above.

Publication of the survey summary

Upon filling in the requested information laid out in the online template tool, the NRA/TSO can access a summary of the consultation on PDF format. The PDF document can be included as an annex to the national consultation.

Regardless of the NRA/TSO decision to publish this document, the Agency will release on its website the completed templates as part of its analyses on the RPM consultations [Article 27(2)].

Useful links

[COMMISSION REGULATION \(EU\) 2017/460 of 16 March 2017 establishing a network code on harmonised transmission tariff structures for gas \(NC TAR\) \(http://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32017R0460&from=EN\)](http://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32017R0460&from=EN)

[ACER Tariff Template website \(http://www.acer.europa.eu/en/Gas/Framework%20guidelines_and_network%20codes/TAR_IMP/Pages/default.aspx\)](http://www.acer.europa.eu/en/Gas/Framework%20guidelines_and_network%20codes/TAR_IMP/Pages/default.aspx)

Contact

tariff@acer.europa.eu
